



AVX Tantalum Leaded Capacitors

AVX Tantalum Ask The World Of Us

As one of the world's broadest line leaded tantalum suppliers, and the major radial tantalum manufacturer, it is our mission to provide **First In Class** Technology, Quality and Service, by establishing progressive design, manufacturing and continuous improvement programs driving toward a single goal: **TOTAL CUSTOMER SATISFACTION**

AVX Tantalum Leaded Products

- TAP Resin Dipped Radial Capacitor
- TAR Molded Axial Capacitor
- TAA Hermetic Sealed Axial Capacitor
- **TMH** Precision Microminiature Capacitor (Axial or Radial)



Introduction

Foreword



AVX offers a broad line of solid tantalum capacitors in a wide range of sizes, styles, and ratings to meet any design needs. This catalog combines into one source AVX's leaded tantalum capacitor information from its worldwide tantalum operations.

The TAP is rated for use from -55° C to $+85^{\circ}$ C at rated voltage and up to $+125^{\circ}$ C with voltage derating. There are three preferred wire forms to choose from which are available on tape and reel, and in bulk for hand insertion.

Four sizes of molded axials, the TAR series, are also available. The TAR is fully marked and available on tape and reel for high speed insertion. The TAA is a hermetically sealed series also with four case sizes available.

The TMH series (MINITAN®) leaded capacitors are available in both axial and radial configurations. The TMH series is designed with small batterypowered applications, such as hearing aids, in mind. The "X" case size in the TMH line is the smallest leaded tantalum capacitor available in the world.

AVX has a complete tantalum applications service available for use by all our customers. With the capability to prototype and mass produce solid tantalum capacitors in special configurations, almost any design need can be fulfilled. And if the customer requirements are outside our standard testing, AVX will work with you to define and implement a test or screening plan.

AVX is determined to become the world leader in tantalum capacitor technology and has made, and is continuing to make, significant investments in equipment and research to reach that end. We believe that the investment has paid off with the devices shown on the following pages.

Contents

| | | Page | | | | |
|--|---|---------------------|--|--|--|--|
| Introduction | Foreword | 1 | | | | |
| Dipped Radial Capacitors | Introduction TAP Series Tape and Reel Packaging | 2 3-6 7-8 | | | | |
| Axial Capacitors | TAR SeriesTAA SeriesTape and Reel Packaging | 9-11 12-14 15 | | | | |
| MINITAN [®] Capacitors | TMH Series | 16-18 | | | | |
| Technical Summary and Application Guidelines | | | | | | |



SOLID TANTALUM RESIN DIPPED SERIES TAP

The TAP resin dipped series of miniature tantalum capacitors is available for individual needs in both commercial and professional applications. From computers to automotive to industrial, AVX has a dipped radial for almost any application.





Wire Form Outline

SOLID TANTALUM RESIN DIPPED TAP

Preferred Wire Forms



Non-Preferred Wire Forms (Not recommended for new designs)



DIMENSIONS

| DIMENSI | ONS | | | | | millimeters (inches) |
|-----------|--------|-----------|----------------|---|---|----------------------------------|
| Wire Form | Figure | Case Size | L (see note 1) | S | d | Packaging Suffixes Available* |
| | . – | | | | | |

Preferred Wire Forms

| С | Figure 1 | A - R* | 16±4 (0.630±0.160) | 5.0±1.0 (0.200±0.040) | 0.5±0.05 (0.020±0.002) | CCS Bulk CRW Tape/Reel CRS Tape/Ammo |
|---|----------|--------|-----------------------|--------------------------|---------------------------|--|
| В | Figure 2 | A - J* | 16±4 (0.630±0.160) | 5.0±1.0 (0.200±0.040) | 0.5±0.05 (0.020±0.002) | BCS Bulk BRW Tape/Reel BRS Tape/Ammo |
| S | Figure 3 | A - J* | 16±4 (0.630±0.160) | 2.5±0.5 (0.100±0.020) | 0.5±0.05 (0.020±0.002) | SCS Bulk SRW Tape/Reel SRS Tape/Ammo |

Non-Preferred Wire Forms (Not recommended for new designs)

| F | Figure 4 | A - R | 3.9±0.75 (0.155±0.030) | 5.0±0.5 (0.200±0.020) | 0.5±0.05 (0.020±0.002) | FCS Bulk | | | | |
|---|------------------------|--------|---------------------------|---------------------------|---------------------------|--|--|--|--|--|
| D | Figure 5 | A - H* | 16±4 (0.630±0.160) | 2.5±0.75 (0.100±0.020) | 0.5±0.05 (0.020±0.002) | DCS Bulk DTW Tape/Reel DTS Tape/Ammo | | | | |
| G | Figure 6 | A - J | 16±4 (0.630±0.160) | 3.18±0.5 (0.125±0.020) | 0.5±0.05 (0.020±0.002) | GSB Bulk | | | | |
| Н | Similar to Figure 1 | A - R | 16±4 (0.630±0.160) | 6.35±1.0 (0.250±0.040) | 0.5±0.05 (0.020±0.002) | HSB Bulk | | | | |

Notes: (1) Lead lengths can be supplied to tolerances other than those above and should be specified in the ordering information.

(2) For D, H, and H_1 dimensions, refer to individual product on following pages.

For case size availability in tape and reel, please refer to page 7-8.





SOLID TANTALUM RESIN DIPPED CAPACITORS



TAP is a professional grade device manufactured with a flame retardant coating and featuring low leakage current and impedance, very small physical sizes and exceptional temperature stability. It is designed and conditioned to operate to +125°C (see page 27 for voltage derating above 85°C) and is available loose or taped and reeled for auto insertion. The 15 case sizes with wide capacitance and working voltage ranges means the TAP can accommodate almost any application.

| Maximum | Maximum Case Dimensions: millimeters (inches) | | | | | | | |
|---------|---|-----------------|-------------|--|--|--|--|--|
| Wire | C, F, G, H | B, S, D | | | | | | |
| Case | Н | *H ₁ | D | | | | | |
| A | 8.5 (0.33) | 7.0 (0.28) | 4.5 (0.18) | | | | | |
| В | 9.0 (0.35) | 7.5 (0.30) | 4.5 (0.18) | | | | | |
| С | 10.0 (0.39) | 8.5 (0.33) | 5.0 (0.20) | | | | | |
| D | 10.5 (0.41) | 9.0 (0.35) | 5.0 (0.20) | | | | | |
| E | 10.5 (0.41) | 9.0 (0.35) | 5.5 (0.22) | | | | | |
| F | 11.5 (0.45) | 10.0 (0.39) | 6.0 (0.24) | | | | | |
| G | 11.5 (0.45) | 10.0 (0.39) | 6.5 (0.26) | | | | | |
| H | 12.0 (0.47) | 10.5 (0.41) | 7.0 (0.28) | | | | | |
| J | 13.0 (0.51) | 11.5 (0.45) | 8.0 (0.31) | | | | | |
| K | 14.0 (0.55) | 12.5 (0.49) | 8.5 (0.33) | | | | | |
| L | 14.0 (0.55) | 12.5 (0.49) | 9.0 (0.35) | | | | | |
| М | 14.5 (0.57) | 13.0 (0.51) | 9.0 (0.35) | | | | | |
| N | 16.0 (0.63) | | 9.0 (0.35) | | | | | |
| P | 17.0 (0.67) | | 10.0 (0.39) | | | | | |
| R | 18.5 (0.73) | | 10.0 (0.39) | | | | | |

HOW TO ORDER





 $\begin{array}{l} \mbox{Capacitance Tolerance} \\ K = \pm 10\% \\ M = \pm 20\% \\ \mbox{(For J = } \pm 5\% \mbox{ tolerance,} \\ please \mbox{ consult factory)} \end{array}$



Rated DC Voltage



Suffix indicating wire form and packaging (see page 3)

TAP Series



TECHNICAL SPECIFICATIONS

| Technical Data: | All technical data relate to an ambient temperature of +25°C | | | | | | | | |
|------------------------------------|--|------------------------------------|---------|--------------------|-------|---------|--------|--------|---|
| Capacitance Range: | | 0.1µF | to 33 | ΟµF | | | | | |
| Capacitance Tolerance: | | ±20% | ; ±10 | % (±5 | % cor | nsult y | our A' | VX rej | presentative for details) |
| Rated Voltage DC (V _R) | ≦+85°C: | 6.3 | 10 | 16 | 20 | 25 | 35 | 50 | |
| Category Voltage (V _C) | ≦+125°C: | 4 | 6.3 | 10 | 13 | 16 | 23 | 33 | |
| Surge Voltage (V _S) | ≦+85°C: | 8 | 13 | 20 | 26 | 33 | 46 | 65 | |
| | ≦+125°C: | 5 | 9 | 12 | 16 | 21 | 28 | 40 | |
| Temperature Range: | | -55°C | to +1 | 25°C | | | | | |
| Environmental Classification: | | 55/12 | 5/56 | IEC 6 | 8-2) | | | | |
| Dissipation Factor: | | ≦0.04 for C _R 0.1-1.5µF | | | | | | | |
| | | ≦0.00 | 6 for C | 2.2- | 6.8µF | | | | |
| | | ≦0.08 for C _R 10-68µF | | | | | | | |
| | | ≦0.10 |) for C | 2 _R 100 | -330µ | F | | | |
| Reliability: | | 1% p | er 100 | 0 hrs. | at 85 | °C wi | th 0.1 | Ω/V s | series impedance, 60% confidence level. |

| Capacitance Range (letter denotes case code) | | | | | | | | | | | | |
|--|-------------------|---------------|------------------------------------|-------------|-------------|-------------|-------------|-------------|--|--|--|--|
| Capacita | ance | Rated voltage | Rated voltage DC (V _R) | | | | | | | | | |
| μF | Code | 6.3V | 10V | 16V | 20V | 25V | 35V | 50V | | | | |
| 0.1 0.15 0.22 | 104 154 224 | | | | | | A A A | A A A | | | | |
| 0.33 0.47 0.68 | 334 474 684 | | | | | | A A A | A A B | | | | |
| 1.0 1.5 2.2 | 105 155 225 | | A | A A | A A A | A A A | A A B | C D E | | | | |
| 3.3 4.7 6.8 | 335 475 685 | A A A | A A B | A B C | B C D | B C D | C E F | F G H | | | | |
| 10 15 22 | 106 156 226 | B C D | C D E | D E F | E F H | E F H | F H K | J K L | | | | |
| 33 47 68 | 336 476 686 | E F G | F G H | F J L | J K N | J M N | M N | | | | | |
| 100 150 220 | 107 157 227 | H K M | K N P | N N R | N | | | | | | | |
| 330 | 337 | Р | R | | | | | | | | | |

Values outside this standard range may be available on request.

AVX reserves the right to supply capacitors to a higher voltage rating, in the same case size, than that ordered.

MARKING

Polarity, capacitance, rated DC voltage, and an "A" (AVX logo) are laser marked on the capacitor body which is made of flame retardant gold epoxy resin with a limiting oxygen index in excess of 30 (ASTM-D-2863).

- Polarity
- Tolerance code: • Capacitance $\pm 20\%$ = Standard (no marking)

- Voltage ±10% = "K" on reverse side of unit
 AVX logo ±5% = "J" on reverse side of unit





TAP Series

RATINGS AND PART NUMBER REFERENCE

| AVX | Case | Capacitance | DCL | DF | ESR |] [| AVX | Case | Capacitance | DCL | DF | ESR |
|--------------------------------|--------|-------------|----------|--------|------------|-----|-------------------------|----------|-----------------|---------------|-------------|----------|
| Part No. | Size | μF | (µA) | % | max. (Ω) | | Part No. | Size | μF | (µA) | % | max. (Ω) |
| () . | | | | | @ 100 KHZ | | 20 | | (12 | | | |
| 6.3 V | olt @ | 85°C (4 | VOIL @ | 125°C) | | | 20 VOIt @ 8 | 35°C | (13 VOIt | @ 125°C | ر contil | nuea |
| TAP 335(*)006 | A | 3.3 | 0.5 | 6 | 13.0 | | TAP 336(*)020 | J | 33 | 5.2 | 8 | 1.4 |
| TAP 475(*)006 | A | 4.7 | 0.5 | 6 | 10.0 | | TAP 476(*)020 | K | 47 | 7.5 | 8 | 1.2 |
| TAP 685(*)006 | A | 6.8 | 0.5 | 6 | 8.0 | | TAP 686(*)020 | N | 68 | 10.8 | 8 | 0.9 |
| TAP 106(*)006 | B | 10 | 0.5 | 8 | 6.0 | | TAP 107(*)020 | N | 100 | 16.0 | 10 | 0.6 |
| TAP 156(*)006 | | | 0.8 | 8 | 5.0 | | 25 vo | olt @ | 85°C (16 | o volt @ | 125°C) | |
| TAP 220(*)000 | | 22 | 1.1 | o g | 3.7 | | | | | | | 10.0 |
| TAP 476(*)000 | F | 47 | 2.4 | 8 | 2.0 | | TAP 105(*)025 | A | 1.0 | 0.5 | 4 | |
| TAP 686(*)006 | Ġ | 68 | 3.4 | 8 | 1.8 | | TAP 100(*)020 | | 1.5 | 0.5 | 4 | 6.0 |
| TAP 107(*)006 | H | 100 | 5.0 | 10 | 1.6 | | TAP 335(*)025 | B | 33 | 0.5 | 6 | 5.0 |
| TAP 157(*)006 | К | 150 | 7.6 | 10 | 0.9 | | TAP 475(*)025 | C | 4.7 | 0.9 | 6 | 4.0 |
| TAP 227(*)006 | М | 220 | 11.0 | 10 | 0.9 | | TAP 685(*)025 | D | 6.8 | 1.3 | 6 | 3.1 |
| TAP 337(*)006 | Р | 330 | 16.6 | 10 | 0.7 | | TAP 106(*)025 | E | 10 | 2.0 | 8 | 2.5 |
| 10.00 | | | 2 volt @ | 12500) | | | TAP 156(*)025 | F | 15 | 3.0 | 8 | 2.0 |
| 10 00 | ni @ | 00 C (0., | | 125 () | | | TAP 226(*)025 | H | 22 | 4.4 | 8 | 1.5 |
| TAP 225(*)010 | A | 2.2 | 0.5 | 6 | 13.0 | | TAP 336(*)025 | J | 33 | 6.6 | 8 | 1.2 |
| TAP 335(*)010 | A | 3.3 | 0.5 | 6 | 10.0 | | TAP 476(*)025 | M | 47 | 9.4 | 8 | 1.0 |
| TAP 475(*)010 | A | 4./ | 0.5 | 6 | 8.0 | | TAP 686(*)025 | N | 68 | 13.6 | 8 | 0.8 |
| TAP 685(*)010 TAP 106(*)010 | C B | 6.8 10 | 0.5 | 6 | 6.0 5.0 | | 35 v | olt @ | 85°C (2 | 3 volt @ | 2 125°C |) |
| TAP 156(*)010 | D | 15 | 1.2 | 8 | 3.7 | | TAP 104(*)035 | Δ | 01 | 0.5 | 4 | 26.0 |
| TAP 226(*)010 | Ē | 22 | 1.7 | 8 | 2.7 | | TAP 154(*)035 | A | 0.15 | 0.5 | 4 | 21.0 |
| TAP 336(*)010 | F | 33 | 2.6 | 8 | 2.1 | | TAP 224(*)035 | A | 0.22 | 0.5 | 4 | 17.0 |
| TAP 476(*)010 | G | 47 | 3.7 | 8 | 1.7 | | TAP 334(*)035 | A | 0.33 | 0.5 | 4 | 15.0 |
| TAP 686(*)010 | H | 68 | 5.4 | 8 | 1.3 | | TAP 474(*)035 | A | 0.47 | 0.5 | 4 | 13.0 |
| TAP 107(*)010 | K | 100 | 8.0 | 10 | 1.0 | | TAP 684(*)035 | A | 0.68 | 0.5 | 4 | 10.0 |
| TAP 157(*)010 | N | 150 | 12.0 | 10 | 0.8 | | TAP 105(*)035 | A | 1.0 | 0.5 | 4 | 8.0 |
| TAP 227(*)010 | P | 220 | 17.6 | 10 | 0.6 | | TAP 155(*)035 | A | 1.5 | 0.5 | 4 | 6.0 |
| TAP 337(*)010 | R | 330 | 20.0 | 10 | 0.5 | | TAP 225(*)035 | B | 2.2 | 0.6 | 6 | 5.0 |
| 16 vo | olt @ | 85°C (10 |) volt @ | 125°C) | | | TAP 335(*)035 | C E | 3.3 | 0.9 | 6 | 4.0 |
| TAP 155(+)016 | Δ | 15 | 0.5 | 1 | 10.0 | | TAP 685(+)035 | | 4.7 | 1.3 | 6 | 25 |
| TAP 225(*)016 | | 22 | 0.5 | 6 | 8.0 | | TAP 106(*)035 | F | 10 | 2.8 | 8 | 2.5 |
| TAP 335(*)016 | A | 3.3 | 0.5 | 6 | 6.0 | | TAP 156(*)035 | н | 15 | 4.2 | 8 | 1.6 |
| TAP 475(*)016 | B | 4.7 | 0.6 | 6 | 5.0 | | TAP 226(*)035 | ĸ | 22 | 6.1 | 8 | 1.3 |
| TAP 685(*)016 | С | 6.8 | 0.8 | 6 | 4.0 | | TAP 336(*)035 | М | 33 | 9.2 | 8 | 1.0 |
| TAP 106(*)016 | D | 10 | 1.2 | 8 | 3.2 | | TAP 476(*)035 | N | 47 | 10.0 | 8 | 0.8 |
| TAP 156(*)016 | E | 15 | 1.9 | 8 | 2.5 | | EOve | | |) volt @ | 12500) | |
| TAP 226(*)016 | F | 22 | 2.8 | 8 | 2.0 | | 50 VC | ົ້າເພ | 85 C (33 | | 125 () | 1 |
| TAP 336(*)016 | | 33 | 4.2 | 8 | 1.6 | | TAP 104(*)050 | A | 0.1 | 0.5 | 4 | 26.0 |
| TAP 476(*)016 | | 4/ | 6.0 | 8 | 1.3 | | TAP 154(*)050 | A | 0.15 | 0.5 | 4 | 21.0 |
| TAP 686(*)016 | | 08 | 8.7 | | 1.0 | | TAP 224(*)050 | A | 0.22 | 0.5 | 4 | 17.0 |
| TAP 107(*)010 | | 150 | 12.0 | 10 | 0.0 | | TAP 334(*)050 | A | 0.33 | 0.5 | 4 | 15.0 |
| TAP 227(*)010 | | 220 | 20.0 | 10 | 0.0 | | TAP 474(*)050 | | 0.47 | 0.5 | 4 | 13.0 |
| 1711 227(*)010 | | 220 | 20.0 | 10 | 0.0 | | TAP 1054(*)050 | | 1.0 | 0.5 | 4 | 8.0 |
| 20 vo | olt @ | 85°C (13 | 3 volt @ | 125°C) | | | TAP 155(*)050 | D | 1.5 | 0.6 | 4 | 6.0 |
| TAP 105(*)020 | Α | 1.0 | 0.5 | 4 | 10.0 | | TAP 225(*)050 | E | 2.2 | 0.8 | 6 | 3.5 |
| TAP 155(*)020 | A | 1.5 | 0.5 | 4 | 9.0 | | TAP 335(*)050 | F | 3.3 | 1.3 | 6 | 3.0 |
| TAP 225(*)020 | A | 2.2 | 0.5 | 6 | 7.0 | | TAP 475(*)050 | G | 4.7 | 1.8 | 6 | 2.5 |
| TAP 335(*)020 | B | 3.3 | 0.5 | 6 | 5.5 | | TAP 685(*)050 | H | 6.8 | 2.7 | 6 | 2.0 |
| TAP 475(*)020 | C | 4.7 | 0.7 | 6 | 4.5 | | TAP 106(*)050 | J | 10 | 4.0 | 8 | 1.6 |
| TAP 685(*)020 | D | 6.8 | 1.0 | 6 | 3.6 | | TAP 156(*)050 | K | 15 | 6.0 | 8 | 1.2 |
| TAP 106(*)020 | E | 10 | 1.6 | 8 | 2.9 | | TAP 226(*)050 | L | 22 | 8.8 | 8 | 1.0 |
| TAP 156(*)020 | | 15 | 2.4 | 8 | 2.3 | (| *) Insert capacitance t | olerance | e code; M for ± | ±20%, K for ± | 10% and J f | or ±5% |
| TAP 220(*)020 | Н | 22 | 3.5 | 8 | 1.ŏ | | | | | | | |

NOTE: Voltage ratings are minimum values. AVX reserves the right to supply higher voltage ratings in the same case size.





Tape and Reel Packaging

SOLID TANTALUM RESIN DIPPED TAP

TAPE AND REEL PACKAGING FOR AUTOMATIC COMPONENT INSERTION

TAP types are all offered on radial tape, in reel or 'ammo' pack format for use on high speed radial automatic insertion equipment, or preforming machines.

The tape format is compatible with EIA 468A standard for component taping set out by major manufacturers of radial automatic insertion equipment.



Note: Lead forms may vary slightly from those shown.



SOLID TANTALUM RESIN DIPPED TAP

DIMENSIONS:

| Description | Code | Dimension |
|---------------------------------|----------------|--------------------------------|
| | | 12.7 + 0.2 (0.5 + 0.01) |
| | P | $12.7 \pm 0.3 (0.5 \pm 0.01)$ |
| Hole center to lead | P ₁ | $3.85 \pm 0.7 (0.15 \pm 0.03)$ |
| | | of clench |
| | | $5.05 \pm 1.0(0.2 \pm 0.04)$ |
| | | for S wire |
| Hole center to component center | P ₂ | 6.35 ± 0.4 (0.25 ± 0.02) |
| Change in pitch | Δр | ± 1.0 (± 0.04) |
| Lead diameter | d | 0.5 ± 0.05 (0.02 ± 0.003) |
| Lead spacing | S | See wire form table |
| Component alignment | Δh | $0 \pm 2.0 (0 \pm 0.08)$ |
| Feed hole diameter | D | 4.0 ± 0.2 (0.15 ± 0.008) |
| Tape width | W | 18.0 + 1.0 (0.7 + 0.04) |
| | | - 0.5 - 0.02) |
| Hold down tape width | W ₁ | 6.0 (0.24) min. |
| Hold down tape position | W_2 | 1.0 (0.04) max. |
| Lead wire clench height | Н | 16 ± 0.5 (0.63 ± 0.02) |
| | | 19 ± 1.0 (0.75 ± 0.04) |
| | | on request |
| Hole position | H ₁ | 9.0 ± 0.5 (0.35 ± 0.02) |
| Base of component height | H ₂ | 18 (0.7) min. (S wire only) |
| Component height | H ₃ | 32.25 (1.3) max. |
| Length of snipped lead | L | 11.0 (0.43) max. |
| Total tape thickness | Т | 0.7 ± 0.2 (0.03 ± 0.001) |
| | | Carrying card |
| | | $0.5 \pm 0.1 (0.02 \pm 0.005)$ |

REEL CONFIGURATION AND millimeters (inches) **DIMENSIONS:**

millimeters (inches)



Manufactured from cardboard with plastic hub.



Holding tape outside. Positive terminal leading (negative terminal by special request).

PACKAGING QUANTITIES

For Reels

| Style | Case code | No. of pieces |
|-------|------------------|---------------|
| | А | 1500 |
| | B, C, D | 1250 |
| TAP | E, F | 1000 |
| | G, H, J | 750 |
| | K, L, M, N, P, R | 500 |

For 'Ammo' pack

| | • | |
|-------|------------------|---------------|
| Style | Case code | No. of pieces |
| | A, B, C, D | 3000 |
| TAP | E, F, G | 2500 |
| | H, J | 2000 |
| | K, L, M, N, P, R | 1000 |

For bulk products

| Style | Case code | No. of pieces |
|-------|-----------|---------------|
| TAP | A to H | 1000 |
| | J to L | 500 |
| | M to R | 100 |

AMMO PACK DIMENSIONS

millimeters (inches) max.

Height 360 (14.17), width 360 (14.17), thickness 60 (2.36)

GENERAL NOTES

Resin dipped tantalum capacitors are only available taped in the range of case codes and in the modular quantities by case code as indicated.

Packaging quantities on tape may vary by $\pm 1\%$.





TAR Series

SOLID TANTALUM MOLDED AXIAL LEADED CAPACITORS



- **TAR:** Designed for use in miniature and subminiature circuit applications.
 - 1. Precision molded and taped and reeled for use in high speed automatic insertion applications.
 - 2. Suitable for decoupling, blocking, by-passing and filtering in computers, data processing, communications and other equipment.
 - 3. Available in four case sizes.
 - 4. Tapered nose identifies positive polarity.
 - 5. Capacitance, tolerance, rated voltage and polarity are marked onto the capacitor body.
 - 6. See page 15 for packaging quantities.



Case Dimensions: millimeters (inches)

| Case Size | L ±0.25 (0.010) | D ₁ ±0.25 (0.010) | d ±0.05 (0.002) | Typical Weight g |
|--------------|--------------------|---------------------------------|--------------------|---------------------|
| Q | 6.35 (0.25) | 2.16 (0.085) | 0.5 (0.02) | 0.20 |
| R | 7.4 (0.29) | 2.5 (0.10) | 0.5 (0.02) | 0.25 |
| S | 8.6 (0.34) | 4.3 (0.17) | 0.5 (0.02) | 0.52 |
| W | 10.4 (0.41) | 4.3 (0.17) | 0.5 (0.02) | 0.53 |
| | | | | |

please consult factory)

HOW TO ORDER



(number of zeros to follow)

Molded Axial Capacitors



TAR Series

TECHNICAL SPECIFICATIONS

| | All technical data relate to an ambient temperature of +25°C | | | | | | | | | | | |
|------------------------|--|---|--|---|---|---|---|---|--|--|--|--|
| | 0.1µF to 68µF | | | | | | | | | | | |
| Capacitance Tolerance: | | | | | ±20%; ±10%; ±5% | | | | | | | |
| ≦+85°C: | 4 | 6.3 | 10 | 15 | 20 | 25 | 35 | 50 | | | | |
| ≦+125°C: | 2.7 | 4 | 6.3 | 10 | 13 | 17 | 23 | 33 | | | | |
| ≦+85°C: | 5.2 | 8 | 13 | 20 | 26 | 33 | 46 | 65 | | | | |
| ≦+125°C: | 3.5 | 5 | 9 | 12 | 16 | 21 | 28 | 40 | | | | |
| | -55°C | to +1 | 25°C | | | | | | | | | |
| | 55/125/56 (IEC 68-2) | | | | | | | | | | | |
| Dissipation Factor: | | | | | See part number table | | | | | | | |
| | ≦+85°C: ≦+125°C: ≤+85°C: ≤+125°C: | All tec $0.1\mu F$ $\pm 20\%$ $\leq +85^{\circ}C$: 4 $\leq +125^{\circ}C$: 2.7 $\leq +85^{\circ}C$: 5.2 $\leq +125^{\circ}C$: 3.5 $\leq -55^{\circ}C$ 55/12 See p | All technical 0.1μ F to 68 $\pm 20\%; \pm 10^{\circ}$ $\leq +85^{\circ}$ C: 4 $\leq +125^{\circ}$ C: 2.7 $\leq +85^{\circ}$ C: 5.2 $\leq +125^{\circ}$ C: 3.5 $\leq +125^{\circ}$ C: 55/125/56 (See part nu | All technical data 0.1μ F to 68μ F $\pm 20\%$; $\pm 10\%$; ± 5 $\leq +85^{\circ}$ C: 4 6.3 10 $\leq +125^{\circ}$ C: 2.7 4 6.3 $\leq +85^{\circ}$ C: 5.2 8 13 $\leq +125^{\circ}$ C: 3.5 5 9 -55° C to $+125^{\circ}$ C $55/125/56$ (IEC 6 See part number | All technical data relate 0.1μ F to 68μ F $\pm 20\%$; $\pm 10\%$; $\pm 5\%$ $\leq +85^{\circ}$ C: 4 6.3 10 15 $\leq +125^{\circ}$ C: 2.7 4 6.3 10 $\leq +85^{\circ}$ C: 5.2 8 13 20 $\leq +125^{\circ}$ C: 3.5 5 9 12 -55°C to +125°C See part number table | All technical data relate to an 0.1μ F to 68μ F $\pm 20\%; \pm 10\%; \pm 5\%$ $\leq +85^{\circ}$ C: 4 6.3 10 15 20 $\leq +125^{\circ}$ C: 2.7 4 6.3 10 13 $\leq +85^{\circ}$ C: 5.2 8 13 20 26 $\leq +125^{\circ}$ C: 3.5 5 9 12 16 -55°C to +125°C See part number table | All technical data relate to an ambi 0.1μ F to 68μ F $\pm 20\%; \pm 10\%; \pm 5\%$ $\leq +85^{\circ}$ C:46.310152025 $\leq +125^{\circ}$ C:2.746.3101317 $\leq +85^{\circ}$ C:5.2813202633 $\leq +125^{\circ}$ C:3.559121621-55^{\circ}C to $+125^{\circ}$ C55/125/56 (IEC 68-2)See part number table | All technical data relate to an ambient te 0.1μ F to 68μ F $\pm 20\%$; $\pm 10\%$; $\pm 5\%$ $\leq +85^{\circ}$ C:46.31015202535 $\leq +125^{\circ}$ C:2.746.310131723 $\leq +85^{\circ}$ C:5.281320263346 $\leq +125^{\circ}$ C:3.55912162128-55^{\circ}C to $+125^{\circ}$ C55/125/56 (IEC 68-2)See part number table | All technical data relate to an ambient tempera 0.1μ F to 68μ F $\pm 20\%$; $\pm 10\%$; $\pm 5\%$ $\leq +85^{\circ}$ C:46.3101520253550 $\leq +125^{\circ}$ C:2.746.31013172333 $\leq +85^{\circ}$ C:5.28132026334665 $\leq +125^{\circ}$ C:3.5591216212840-55^{\circ}C to $+125^{\circ}$ C55/125/56 (IEC 68-2)See part number table | | | |

| Capacitance R | Capacitance Range (letter denotes case code) | | | | | | | | | | |
|---------------|--|--------------------------|-----|-----|-----|-----|-------|-----|--|--|--|
| Capacitance | Rated volta | age DC (V _R) | | | | | | | | | |
| μF | 4V | 6.3V | 10V | 15V | 20V | 25V | 35V | 50V | | | |
| 0.1 | | | | | | | Q | Q | | | |
| 0.15 | | | | | | | | Q | | | |
| 0.22 | | | | | | | 0 | | | | |
| 0.33 | | | | | | 0 | | R | | | |
| 0.68 | | | | | | Q | R | R | | | |
| 1.0 | | | | | Q | Q | R | R | | | |
| 1.5 | | | 0 | Q | Q | R | R | S | | | |
| 2.2 | | | Q | Q | R | R | 5 | 5 | | | |
| 3.3 | | Q | Q | R | R | R | S | W | | | |
| 4./ | | | R | R | R | S | S | VV | | | |
| 0.0 | | | K | R O | 5 | 5 | V | | | | |
| 10 | | R R | R | S | S | S | VV VV | | | | |
| 22 | R R | S R | S | W | W | VV | | | | | |
| 33 | S | S | W | W | | | | | | | |
| 47 | S | W | W | | | | | | | | |
| 68 | W | W | | | | | | | | | |

Values outside this standard range may be available on request without appropriate release or qualification.

AVX reserves the right to supply capacitors to a tighter specification than that ordered.

MARKING

Polarity · Capacitance · Date code

Tolerance · Voltage

Molded Axial Capacitors



TAR Series

RATINGS AND PART NUMBER REFERENCE

| AVX Part No. | AVX Case Capacitance DC Part No. Size μF (μΑ Μα | | DCL (µA) Max | DF % Max | ESR max. (Ω) @ 100 kHz | | | | |
|---|---|--|--|--|---|--|--|--|--|
| 4 vo | lt @ 8 | 35°C (2.7 | volt @ ' | 125°C) | @ TOO KITZ | | | | |
| TARQ475(*)004 TARQ685(*)004 TARR106(*)004 TARR156(*)004 TARR226(*)004 TARS336(*)004 TARS476(*)004 TARW686(*)004 | Q Q R R R S S W | 4.7 6.8 10 15 22 33 47 68 | 0.5 0.5 0.5 0.7 1.1 1.5 2.2 | 8 8 8 8 8 8 8 8 8 8 8 8 | 12 10 10 6.0 5.0 3.5 2.5 | | | | |
| 6.3 volt @ 85°C (4 volt @ 125°C) | | | | | | | | | |
| TARQ335(*)006 TARQ475(*)006 TARR685(*)006 TARR106(*)006 TARR156(*)006 TARS226(*)006 TARS336(*)006 TARW476(*)006 TARW686(*)006 | Q Q R R R S S W W | 3.3 4.7 6.8 10 15 22 33 47 68 | 0.5 0.5 0.5 0.7 1.1 1.5 2.3 3.3 | 4 6 6 6 6 6 6 6 | 14 10 8.0 5.0 3.7 3.0 2.0 1.8 | | | | |
| 10 volt @ 85°C (7 volt @ 125°C) | | | | | | | | | |
| TARQ225(*)010 TARQ335(*)010 TARR475(*)010 TARR685(*)010 TARR106(*)010 TARS156(*)010 TARS226(*)010 TARW336(*)010 TARW476(*)010 | Q Q R R R S S W W | 2.2 3.3 4.7 6.8 10 15 22 33 47 | 0.5 0.5 0.5 0.8 1.2 1.5 2.6 3.8 | 4 4 6 6 6 6 6 6 | 14 10 8.0 5.0 3.7 2.7 2.1 1.7 | | | | |
| 15 vo | olt @ | 85°C (10 |) volt @ | 125°C) | | | | | |
| TARQ155(*)015 TARQ225(*)015 TARR335(*)015 TARR475(*)015 TARR685(*)015 TARS106(*)015 TARS156(*)015 TARW226(*)015 TARW336(*)015 | Q R R S S W W | 1.5 2.2 3.3 4.7 6.8 10 15 22 33 | 0.5 0.5 0.6 0.8 1.2 1.5 2.6 4.0 | 4 4 6 6 6 6 | 14 8.0 5.0 4.0 3.2 2.5 2.0 1.6 | | | | |
| 20 vo | olt @ | 85°C (13 | 8 volt @ | 125°C) | | | | | |
| TARQ105(*)020 TARQ155(*)020 TARR335(*)020 TARR335(*)020 TARR475(*)020 TARS685(*)020 TARS106(*)020 TARW156(*)020 TARW226(*)020 | Q Q R R R S S W W | 1.0 1.5 2.2 3.3 4.7 6.8 10 15 22 | 0.5 0.5 0.5 0.8 1.1 1.6 2.4 3.5 | 4 4 4 6 6 6 6 | 18 12 7.0 5.5 4.5 3.7 2.8 2.3 1.9 | | | | |

| AVX Part No. | Case Size | Capacitance µF | DCL (µA) Max. | DF % Max. | ESR max. (Ω) @ 100 kHz |
|--|---|---|---|--|---|
| 25 vo | olt @ | 85°C (17 | volt@ | 125°C) | |
| TARQ474(*)025 TARQ684(*)025 TARQ105(*)025 TARR155(*)025 TARR225(*)025 TARR335(*)025 TARS475(*)025 TARS685(*)025 TARS106(*)025 TARW156(*)025 | Q Q R R S S S W | 0.47 0.68 1.0 1.5 2.2 3.3 4.7 6.8 10 15 | 0.5 0.5 0.5 0.5 0.7 0.9 1.4 1.5 3.0 | 3 3 3 3 3 4 4 4 4 4 | 20 16 12 8.0 6.0 5.0 4.0 3.1 2.5 2.0 |
| 35 vo | olt @ | 85°C (23 | 8 volt@ | 125°C) | |
| TARQ104(*)035 TARQ154(*)035 TARQ224(*)035 TARQ34(*)035 TARQ474(*)035 TARR684(*)035 TARR105(*)035 TARR155(*)035 TARS225(*)035 TARS335(*)035 TARS475(*)035 TARW685(*)035 TARW106(*)035 | Q Q Q Q R R R S S S X X | 0.1 0.15 0.22 0.33 0.47 0.68 1.0 1.5 2.2 3.3 4.7 6.8 10 | 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.6 0.9 1.3 1.9 2.8 | 3 3 3 3 3 3 3 3 3 4 4 4 4 | 26 21 17 15 13 10 8.0 6.0 5.0 4.0 3.0 2.5 2.0 |
| 50 vo | olt @ | 85°C (33 | 8 volt@ | 125°C) | |
| TARQ104(*)050 TARQ154(*)050 TARR334(*)050 TARR474(*)050 TARR474(*)050 TARR684(*)050 TARR105(*)050 TARS155(*)050 TARW335(*)050 TARW475(*)050 | Q Q R R R S S W W | 0.1 0.15 0.22 0.33 0.47 0.68 1.0 1.5 2.2 3.3 4.7 | 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.9 1.3 1.9 | 3 3 3 3 3 3 4 4 4 4 | 26 21 17 15 13 10 8.0 5.0 3.5 3.0 2.5 |

(*) Insert capacitance tolerance code; M for $\pm 20\%$, K for $\pm 10\%$ and J for $\pm 5\%$

NOTE: Voltage ratings are minimum values. AVX reserves the right to supply higher voltage ratings in the same case size.

Hermetic Axial Capacitors



TAA Series

SOLID TANTALUM HERMETICALLY SEALED AXIAL LEADED CAPACITORS



- **TAA:** Fully hermetically sealed, of rugged construction and high reliability for use in military and professional equipment.
- 1. Extremely low leakage current.
- 2. Excellent capacitance to size ratio.
- 3. Available taped and reeled for automatic insertion.
- 4. Marked with AVX logo, capacitor type, capacitance, capacitance tolerance, rated voltage, polarity indication and date of manufacture.
- 5. Approved to BS CECC 30 201-001 and IECQ QC300 201 GB0002 supplied conforming to the limits of MIL-C-39003 style CSR, CTS 13 and CTS 32.



Case Dimensions: millimeters (inches)

| Case Size | L ₁ max. | L ₂ max. | D max. | Lead Length min. | d nom. | Weight max. g |
|--------------|------------------------|------------------------|------------|---------------------|-----------|------------------|
| А | 7.2 (0.28) | 10.7 (0.42) | 3.6 (0.14) | 28 (1.1) | 0.5 | 0.7 |
| В | 12.0 (0.47) | 15.5 (0.61) | 4.9 (0.19) | 28 (1.1) | 0.5 | 1.3 |
| С | 17.3 (0.68) | 20.9 (0.82) | 7.5 (0.29) | 23 (0.9) | 0.6 | 4.7 |
| D | 19.9 (0.78) | 23.4 (0.92) | 9.0 (0.35) | 22 (0.8) | 0.6 | 7.4 |

Note: The tabulated dimensions are for non-insulated capacitors. Insulated capacitors are standard, dimension L_1 will increase by 0.8mm maximum, and dimension D by 0.2mm maximum.

HOW TO ORDER



105 Capacitance Code pF code: 1st two digits represent significant figures, 3rd digit represents multiplier (number of zeros to follow)



Rated DC Voltage

035



Hermetic Axial Capacitors

TAA Series



TECHNICAL SPECIFICATIONS

| Construction: | | Hermetically sealed; | | | | | Temperature Range: | -55°C to +125°C | | |
|-------------------------|----------|----------------------|--------------------|-----|----|----|--------------------|---------------------------|-------------------------------------|---------------------------|
| | | axial terminations | | | | | | | Environmental | |
| Capacitance Range: | | 0.1uE to 330uE | | | | | | | Classification: | 55/125/56 (IEC 68-2) |
| Capacitance Tolerance | | +20%: +10%: +5% | | | | | | | Dissipation Factor: $(\tan \delta)$ | ≦0.04 for C=0.1 to 4.7µF |
| | | | | | | | | ≦0.06 for C= 6.8 to 100µF | | |
| ivieasuring Conditions: | | 1201 | <u>HZ, ZU</u> I | 0.0 | | 1 | | | | ≦0.08 for C= 150 to 330µF |
| Rated Voltage VDC | ≦+85°C: | 6.3 | 10 | 16 | 20 | 25 | 35 | 50 | Approvals: | BS CECC 30 201-001 |
| Category Voltage VDC | ≦+125°C: | 4 | 6.3 | 10 | 13 | 17 | 23 | 33 | | IECQ QC 300 201 GB0002 |
| Surge Voltage VDC | ≦+85°C: | 8 | 13 | 20 | 26 | 33 | 46 | 65 | | CECC 30 201-005 CTS 13 |
| | ≦+125°C: | 5 | 9 | 12 | 16 | 21 | 28 | 40 | | CECC 30 201-019 CTS 32 |

| Capacitance | Range | (letter denotes | case code) | | | | | |
|----------------------|-------------------|-----------------|-------------|--------|-------------|--------|-------------|-------------|
| Capacitance | Сар | Rated voltage | ge DC | | | | | |
| μF | Code | 6.3V | 10V | 16V | 20V | 25V | 35V | 50V |
| 0.1 0.15 0.22 | 104 154 224 | | | | | | A A A | A A A |
| 0.33 0.47 0.68 | 334 474 684 | | | | | A | A A A | A A A |
| 1.0 1.5 2.2 | 105 155 225 | A | | | A A | А | A B B | A B B |
| 3.3 4.7 6.8 | 335 475 685 | A A A | A | A B | B B | В | B B B | B B C |
| 10 15 22 | 106 156 226 | В | В | B B | B B C | В | C C C | C C D |
| 33 47 68 | 336 476 686 | B B C | B C | ССС | ССD | C D | D D | |
| 100 150 220 | 107 157 227 | C D | C D D | D D | D | | | |
| 330 | 337 | D | | | | | | |

Hermetic Axial Capacitors



ESR

max. (Ω)

@ 100 kHz

TAA Series

RATINGS AND PART NUMBER REFERENCE

| | AVX Part No. | Case Size | Capacitance µF | DCL (µA) | DF % | ESR max. (Ω) | | AVX Part No. | Case Size | Capacitance µF | DCL (µA) | DF % |
|---|------------------|--------------|-------------------|-------------|---------|-----------------|---|--------------------------|--------------|-------------------|---------------|--------------|
| | | | | Max. | Max. | @ 100 kHz | | | | | Max. | Max. |
| | 6.3 v | olt@ | 2 85°C (4 | volt@ | 125°C) | | | 25 vo | olt @ | 85°C (17 | volt@ | 125°C) |
| | TAAA225(*)006 | Α | 2.2 | 0.5 | 4 | N/A | | TAAA684(*)025 | Α | 6.8 | 0.5 | 4 |
| | TAAA335(*)006 | A | 3.3 | 0.5 | 4 | N/A | | TAAA155(*)025 | A | 1.5 | 0.5 | 4 |
| | TAAA475(*)006 | Α | 4.7 | 0.5 | 4 | N/A | | TAAB475(*)025 | В | 4.7 | 1.2 | 4 |
| | TAAA685(*)006 | A | 6.8 | 0.5 | 6 | 5.0 | | TAAB106(*)025 | В | 10 | 2.5 | 6 |
| | TAAB156(*)006 | В | 15 | 1.0 | 6 | 2.3 | | TAAC336(*)025 | С | 33 | 8.5 | 6 |
| | TAAB336(*)006 | В | 3.3 | 1.0 | 6 | 2.0 | | TAAD686(*)025 | D | 68 | 15.0 | 6 |
| | TAAB476(*)006 | В | 47 | 3.0 | 6 | 1.6 | | 05 | | | | 40500 |
| | TAAC686(*)006 | С | 68 | 4.5 | 6 | 1.0 | | 35 VC | Dit @ | 85°C (23 | s voit @ | 125°C) |
| | TAAC157(*)006 | С | 150 | 9.5 | 8 | 0.8 | | TAAA104(*)035 | A | 0.10 | 0.5 | 4 |
| | TAAD227(*)006 | D | 220 | 14.0 | 8 | 0.6 | | TAAA154(*)035 | A | 0.15 | 0.5 | 4 |
| | TAAD337(*)006 | D | 330 | 20.0 | 8 | 0.5 | | TAAA224(*)035 | Α | 0.22 | 0.5 | 4 |
| | 10 \/0 | lt @ | 85°C (6 3 | 2 volt @ | 125°C) | | | TAAA334(*)035 | Α | 0.33 | 0.5 | 4 |
| | 10 00 | me | 05 C (0.0) | | 123 0) | | | TAAA474(*)035 | Α | 0.47 | 0.5 | 4 |
| | TAAA475(*)010 | A | 4.7 | 0.5 | 6 | 5.0 | | TAAA684(*)035 | A | 0.68 | 0.5 | 4 |
| | TAAB106(*)010 | В | 10 | 1.0 | 6 | 2.6 | | TAAA105(*)035 | A | 1.0 | 0.5 | 4 |
| | TAAB336(*)010 | B | 33 | 3.5 | 6 | 1.6 | | TAAB155(*)035 | В | 1.5 | 0.5 | 4 |
| | TAAC476(*)010 | C | 47 | 3.0 | 6 | 1.1 | | TAAB225(*)035 | В | 2.2 | 1.0 | 4 |
| | TAAC107(*)010 | С | 100 | 10.0 | 6 | 1.0 | | TAAB335(*)035 | В | 3.3 | 1.0 | 4 |
| | TAAD157(*)010 | D | 150 | 15.0 | 8 | 0.8 | | TAAB475(*)035 | В | 4.7 | 1.5 | 4 |
| | TAAD227(*)010 | D | 220 | 20.0 | 8 | 0.5 | | TAAB685(*)035 | В | 6.8 | 2.5 | 6 |
| ľ | 16 vc | hlt @ | 85°C (10 | volt @ | 125°C) | | | TAAC106(*)035 | С | 10 | 3.5 | 6 |
| ŀ | TO VC | | | | 123 0) | | | TAAC156(*)035 | C | 15 | 5.0 | 6 |
| | TAAA335(*)016 | A | 3.3 | 0.5 | 6 | 6.0 | | TAAC226(*)035 | С | 22 | 7.5 | 6 |
| | TAAB685(*)016 | I B | 6.8 | 0.8 | 6 | 2.5 | | TAAD336(*)035 | D | 33 | 10.0 | 6 |
| | TAAB156(*)016 | B | 15 | 2.4 | 6 | 2.0 | | TAAD476(*)035 | D | 47 | 10.0 | 6 |
| | TAAB226(*)016 | B | 22 | 3.5 | 6 | 1.6 | | 50 vr | ht @ | 85°C (33 | volt@ | 125°C) |
| | TAAC336(*)016 | | 33 | 5.8 | 6 | 1.2 | | JU VC | ЛС | 05 C (55 | | 123 0) |
| | | | 47 | 1.3 | 0 | 1.0 | | TAAA104(*)050 | A | 0.10 | 0.5 | 4 |
| | | | 08 | 10.0 | 0 | 0.8 | | TAAA154(*)050 | A | 0.15 | 0.5 | 4 |
| | TAAD107(*)016 | | 100 | 15.0 | 0 | 0.7 | | TAAA224(*)050 | A | 0.22 | 0.5 | 4 |
| | TAAD 157(*)016 | | 150 | 20.0 | 8 | 0.5 | | TAAA334(*)050 | A | 0.33 | 0.5 | 4 |
| ſ | 20 vc | olt @ | 85°C (13 | volt @ | 125°C) | | | IAAA474(*)050 | A | 0.47 | 0.5 | 4 |
| ŀ | TA A 1 CF ()000 | | | | | | | TAAA684(*)050 | A | 0.68 | 0.5 | 4 |
| | TAAA155(*)020 | A | 1.5 | 0.5 | 4 | 9.0 | | TAAA105(*)050 | A | 1.0 | 0.5 | 4 |
| | TAAA225(*)020 | | 2.2 | 0.5 | 4 | 0.5 | | TAAB155(*)050 | B | 1.5 | 0.8 | 4 |
| | TAAB475(*)020 | B | 4.7 | 0.8 | 4 | 3.0 | | TAAB225(*)050 | B | 2.2 | 1.1 | 6 |
| | TAAB685(*)020 | B | 0.8 | 1.0 | 0 | 2.5 | | TAAB335(*)050 | B | 3.3 | 1.7 | 6 |
| | TAAB100(*)020 | B | 10 | 2.0 | 0 | 2.0 | | TAAB4/5(*)050 | B | 4./ | 2.4 | 6 |
| | TAAB150(*)020 | B | 15 | 3.0 | 0 | | | TAAC685(*)050 | C | 6.8 | 3.4 | 6 |
| | TAAB150(*)020 | В | 15 | 3.0 | 0 | 2.3 | | TAAC106(*)050 | C | 10 | 5.0 | 6 |
| | TAAC226(*)020 | | 22 | 4.5 | 6 | 1.3 | | TAAC156(*)050 | C | 15 | /.5 | 6 |
| | TAAC330(*)020 | | 33 | 7.0 | 0 | 1.2 | | TAAD226(*)050 | D | 22 | 11.0 | 6 |
| | TAAC476(*)020 | | 47 | 9.5 12 F | 0 | 0.9 | . | (*) Insert canacitance t | olerance | code: M for + | -20% K for + | 10% and 1 |
| | TAAD080(*)020 | | 08 | 13.5 | 0 | 0.8 | | | | | 2070, K IUI I | |
| | TAAD 107(*)020 | | 100 | 20.0 | 0 | 0.5 | | NUTE: Voltage ratings | are min | imum values. A | AVX reserves | the right to |

| TAAA684(*)025 TAAA155(*)025 TAAB475(*)025 TAAB106(*)025 TAAC336(*)025 TAAC686(*)025 | A B B C D | 6.8 1.5 4.7 10 33 68 | 0.5 0.5 1.2 2.5 8.5 15.0 | 4 4 6 6 6 | 9.5 7.5 2.8 2.0 1.0 0.6 | | | |
|---|---|--|--|--|---|--|--|--|
| 35 vo | 35 volt @ 85°C (23 volt @ 125°C) | | | | | | | |
| TAAA104(*)035 TAAA154(*)035 TAAA224(*)035 TAAA334(*)035 TAAA334(*)035 TAAA474(*)035 TAAA684(*)035 TAAA105(*)035 TAAB155(*)035 TAAB35(*)035 TAAB35(*)035 TAAB475(*)035 TAAC106(*)035 TAAC156(*)035 TAAC226(*)035 | A A A A A B B B B C C C C | 0.10 0.15 0.22 0.33 0.47 0.68 1.0 1.5 2.2 3.3 4.7 6.8 10 15 22 | 0.5 0.5 0.5 0.5 0.5 0.5 0.5 1.0 1.0 1.5 2.5 3.5 5.0 7.5 | 4 4 4 4 4 4 4 4 4 4 4 6 6 6 6 6 | N/A N/A N/A N/A N/A 10.0 8.0 6.0 6.0 6.0 3.5 2.5 2.0 1.6 1.2 1.0 | | | |
| TAAD336(*)035 TAAD476(*)035 | D | 33 47 | 10.0 10.0 | 6 | 0.8 0.6 | | | |
| 50 vo | olt @ | <u>85°C (33</u> | 3 volt @ | 125°C) | | | | |
| TAAA104(*)050 TAAA154(*)050 TAAA224(*)050 TAAA334(*)050 TAAA474(*)050 TAAA684(*)050 TAAA105(*)050 TAAB155(*)050 TAAB225(*)050 TAAB335(*)050 TAAB475(*)050 TAAC685(*)050 TAAC156(*)050 TAAD226(*)050 | A A A A B B B C C C C D | 0.10 0.15 0.22 0.33 0.47 0.68 1.0 1.5 2.2 3.3 4.7 6.8 10 15 22 | 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.8 1.1 1.7 2.4 3.4 5.0 7.5 11.0 | 4 4 4 4 4 4 4 6 6 6 6 6 6 6 | N/A N/A N/A N/A 10.0 8.0 6.0 6.0 3.5 2.5 2.0 1.6 1.2 1.0 | | | |

e; M for $\pm 20\%$, K for $\pm 10\%$ and J for $\pm 5\%$

values. AVX reserves the right to supply higher voltage ratings in the same case size.



Tape and Reel Packaging

SOLID TANTALUM AXIAL TAR AND TAA

TAPE AND REEL PACKAGING FOR AUTOMATIC COMPONENT INSERTION

TAR and TAA series are supplied as standard on axial bandolier, in reel format or 'ammo' pack for use on high speed axial automatic insertion equipment, or preforming machines.

The tape format is compatible with standards for component taping set out by major manufacturers of axial automatic insertion equipment.

TAPE SPECIFICATION



REEL CONFIGURATION



PACKAGING QUANTITIES TAR

For reels

| Case Code | Number of Pieces | | | |
|-----------|------------------|--|--|--|
| Q | 3000 | | | |
| R | 3000 | | | |
| S | 2000 | | | |
| W | 2000 | | | |

PACKAGING QUANTITIES TAA

For reels, Standard Suffix G

| Case Code | Number of Pieces |
|-----------|------------------|
| A | 3500 |
| В | 2500 |
| С | 500 |
| D | 400 |

For ammo pack, Standard Suffix W

| Case Code | Number of Pieces |
|-----------|------------------|
| А | 1500 |
| В | 1000 |
| С | 250 |
| D | 250 |

| DIMENS | ONS: |
|--------|------|
| | |

millimeters (inches)

| E max | 1.6 (0.063) |
|-------------|--|
| G max | 1.2 (0.047) |
| K | Component body shall be located centrally within a window, width K, where K is 1.4 (0.06) greater than the primary body length |
| L | 52.4 ± 1.5 (2.06 ± 0.06) |
| Р | 5.0 ± 0.5 (0.2 ± 0.02) |
| leader max | 400 (15.75) |
| trailer max | 30 (1.2) |
| n | Will allow for unhindered reeling and unreeling of the taped components |

PREFERRED DIMENSIONS: millimeters (inches)

| | · · · · |
|----------------------|---------------------|
| G - Taped, Reeled | 73.0 (2.87) Spacing |
| W - Taped, Ammo Pack | 73.0 (2.87) Spacing |



MINITAN[®] Capacitors TMH Series





The TMH series is now available in three case sizes. These precision microminiature polarized capacitors are especially suitable for general filtering, decoupling, bypassing and RC timing applications. The TMH series is rated to +85°C without derating and up to +125°C with derating. The favorable capacitance to volume ratio has made this series of MINI-TAN capacitors the leader in high density applications such as hearing aids.



| Case Dimensions — millimeters (inches) | | | | | | | | |
|--|--|------------|------------|--------------------|---------------------|--|--|--|
| Case Size | A Max | B Max | C Max | d ±.025 (0.001) | E | | | |
| Х | 1.9 (.075) | 1.3 (.050) | 1.1 (.040) | .178 (.007) | 0.8±0.4 (.030±.015) | | | |
| W | 2.5 (.100) | 1.3 (.050) | 1.1 (.040) | .178 (.007) | 0.8±0.4 (.030±.015) | | | |
| U | 3.2 (.125) | 1.8 (.070) | 1.1 (.040) | .254 (.010) | 1.3±0.4 (.050±.015) | | | |
| Lead lenç | Lead length: all case sizes: Pos. 41.3±3.2 (1.625±.125) Neg. 34.9±3.2 (1.375±.125) | | | | | | | |



MINITAN® Capacitors

TMH Series



TECHNICAL SPECIFICATIONS

| Technical Data: | | All technical data relate to an ambient temperature of +25°C | | | | | | | |
|------------------------------------|--|--|-------|-------|-----|-----|----|----|--|
| Capacitance Range: | | 0.001µF to 10µF | | | | | | | |
| Capacitance Tolerance: | | ±20% | ; ±10 | %; ±5 | % | | | | |
| Rated Voltage DC (V _R) | ≦+85°C: | 2 | 3 | 4 | 6 | 10 | 15 | 20 | |
| Category Voltage (V _c) | ≦+125°C: | 1.3 | 2 | 2.6 | 4 | 6.7 | 10 | 13 | |
| Surge Voltage (V _s) | ≦+85°C: | 2.6 | 4 | 5.2 | 8 | 13 | 19 | 26 | |
| | ≦+125°C: | 1.7 | 2.6 | 3.4 | 5.2 | 8.7 | 13 | 16 | |
| Temperature Range: | -55°C to +125°C | | | | | | | | |
| Dissipation Factor: | see part number table | | | | | | | | |
| Life Test: | After 2000 hrs. at 85°C with V _R applied. | | | | | | | | |
| $\Delta CAP = \pm 15\%$ max. | | | | | | | | | |
| | ΔDE , DCL = initial limit. | | | | | | | | |

HOW TO ORDER



to identify specific customer requirements. Contact factory for details.

MARKING

Capacitance value shall be typographically marked on all case sizes.

- Capacitance
- Polarity
- Radial = Red dot on top of unit
- $\pm 20\% =$ Standard (no marking) $\pm 10\% =$ Silver dot
- Axial = Red end
- $\pm 5\%$ = Gold dot

• Tolerance code:



MINITAN[®] Capacitors TMH Series



RATINGS AND PART NUMBER REFERENCE

| AVX Part No. | Capacitance µF | DCL (µA) Max. | DF % Max. | AVX Part No. | Capacitance µF | DCL (µA) Max. | DF % Max. | |
|--|--|--|--|---|---|--|--|--|
| 2 volt @ 85 | °C (1.3 volt | @ 125°C) | | 20 volt @ 85°C (13 volt @ 125°C) | | | | |
| TMH-X-474(*)002ø TMH-W-474(*)002ø TMH-X-684(*)002ø TMH-W-684(*)002ø TMH-X-105(*)002ø TMH-X-105(*)002ø TMH-X-155(*)002ø TMH-X-225(*)002ø TMH-W-225(*)002ø TMH-U-235(*)002ø | 0.47 0.47 0.68 0.68 1.0 1.0 1.5 2.2 2.2 2.2 2.2 3.3 | 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 | 15 15 15 15 15 15 15 15 15 15 15 15 | TMH-U-102(+)020ø TMH-U-152(+)020ø TMH-X-222(+)020ø TMH-W-222(+)020ø TMH-U-222(+)020ø TMH-V-332(+)020ø TMH-W-332(+)020ø TMH-U-332(+)020ø TMH-U-3472(+)020ø TMH-W-472(+)020ø TMH-U-472(+)020ø | 0.001 0.0015 0.0022 0.0022 0.0022 0.0033 0.0033 0.0033 0.0033 0.0047 0.0047 | 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 | 10 10 10 10 10 10 10 10 10 10 10 | |
| TMH-U-475(*)002ø TMH-U-685(*)002ø TMH-U-106(*)002ø | 4.7 6.8 10.0 | 0.5 0.5 0.5 | 15 15 15 | TMH-X-682(*)020ø TMH-W-682(*)020ø TMH-U-682(*)020ø TMH-V-103(*)020ø | 0.0068 0.0068 0.0068 | 0.5 0.5 0.5 | 10 10 10 | |
| 3 volt @ 8 | 5°C (2 volt @ | ₽ 125°C) | | TMH-W-103(*)020ø | 0.010 | 0.5 | 10 | |
| TMH-U-155(*)003ø TMH-U-475(*)003ø | 1.5 4.7 | 0.5 0.5 | 10 10 | TMH-U-103(*)020ø TMH-U-153(*)020ø TMH-X-153(*)020ø | 0.010 0.015 0.015 | 0.5 0.5 | 10 10 10 | |
| 4 volt @ 85 | °C (2.6 volt | @ 125°C) | | TMH-W-153(*)020ø | 0.015 | 0.5 | 10 | |
| TMH-X-334(*)004ø TMH-W-334(*)004ø TMH-U-105(*)004ø | 0.33 0.33 1.0 | 0.5 0.5 0.5 | 10 10 10 | TMH-X-223(*)020ø TMH-W-223(*)020ø TMH-U-223(*)020ø TMH-V-223(*)020ø | 0.022 0.022 0.022 | 0.5 0.5 0.5 | 10 10 10 | |
| 6 volt @ 8 | 5°C (4 volt @ | 2125°C) | | TMH-W-333(*)020ø | 0.033 | 0.5 | 10 | |
| TMH-X-224(*)006ø TMH-W-224(*)006ø TMH-U-684(*)006ø | 0.22 0.22 0.68 | 0.5 0.5 0.5 | 10 10 10 | TMH-U-333(*)020ø TMH-X-473(*)020ø TMH-W-473(*)020ø TMH-U-473(*)020ø | 0.033 0.047 0.047 0.047 | 0.5 0.5 0.5 0.5 | 10 10 10 10 | |
| 10 volt @ 85 | 5°C (6.7 volt | @ 125°C |) | TMH-X-683(*)020ø | 0.068 | 0.5 | 10 | |
| TMH-X-154(*)010ø TMH-W-154(*)010ø TMH-U-474(*)010ø | 0.15 0.15 0.47 | 0.5 0.5 0.5 | 10 10 10 | IMH-W-683(*)020ø TMH-U-683(*)020ø TMH-U-104(*)020ø TMH-U-154(*)020ø | 0.068 0.068 0.1 0.15 | 0.5 0.5 0.5 0.5 | 10 10 10 10 | |
| 15 volt @ 8 | 5°C (10 volt | @ 125°C |) | TMH-U-224(*)020ø | 0.22 | 0.5 | 10 | |
| TMH-X-104(*)015ø TMH-W-104(*)015ø TMH-U-334(*)015ø | 0.1 0.1 0.33 | 0.5 0.5 0.5 | 10 10 10 | | | | | |

ø Insert Lead Style: R = Radial, A = Axial

(*) Insert Capacitance Tolerance: M= $\pm 20\%$; K= $\pm 10\%$; J= $\pm 5\%$



CONTENTS

Section 1: Electrical Characteristics and Explanation of Terms.

- Section 2: A.C. Operation and Ripple Voltage.
- Section 3: Reliability and Calculation of Failure Rate.
- Section 4: Application Guidelines for Tantalum Capacitors.
- Section 5: Mechanical and Thermal Properties of Leaded Capacitors.
- Section 6: Qualification approval status.

INTRODUCTION

Tantalum capacitors are manufactured from a powder of pure tantalum metal. The typical particle size is between 2 and 10 μm .







20000µFV

4000µFV

10000µFV

The powder is compressed under high pressure around a Tantalum wire to form a 'pellet'. The riser wire is the anode connection to the capacitor.



This is subsequently vacuum sintered at high temperature (typically 1500 - 2000°C). This helps to drive off any impurities within the powder by migration to the surface.

During sintering the powder becomes a sponge like structure with all the particles interconnected in a huge lattice. This structure is of high mechanical strength and density, but is also highly porous giving a large internal surface area.

The larger the surface area the larger the capacitance. Thus high CV (capacitance/voltage product) powders, which have a low average particle size, are used for low voltage, high capacitance parts. The figure below shows typical powders. Note the very great difference in particle size between the powder CVs.

By choosing which powder is used to produce each capacitance/voltage rating the surface area can be controlled. The following example uses a $22\mu F$ 25V capacitor to illustrate the point.

$$C = \frac{\varepsilon_o \varepsilon_r A}{d}$$

where \mathcal{E}_o is the dielectric constant of free space (8.855 x 10⁻¹² Farads/m)

- ε_r is the relative dielectric constant for Tantalum Pentoxide (27)
- d is the dielectric thickness in meters (for a typical 25V part)

C is the capacitance in Farads

and A is the surface area in meters

Rearranging this equation gives

$$A = \frac{Cd}{\varepsilon_o \varepsilon_r}$$

thus for a 22μ F/25V capacitor the surface area is 150 square centimeters, or nearly 1/2 the size of this page.



The dielectric is then formed over all the tantalum surfaces by the electrochemical process of anodization. The 'pellet' is dipped into a very weak solution of phosphoric acid. The dielectric thickness is controlled by the voltage applied during the forming process. Initially the power supply is kept in a constant current mode until the correct thickness of dielectric has been reached (that is the voltage reaches the 'forming voltage'), it then switches to constant voltage mode and the current decays to close to zero.

The chemical equations describing the process are as follows:

Anode: 2 Ta
$$\rightarrow$$
 2 Ta⁵⁺ + 10 e
2 Ta⁵⁺ 10 OH- \rightarrow Ta₂O₅ + 5 H₂O
Cathode: 10 H₂O - 10 e \rightarrow 5H₂ \uparrow + 10 OH-

The oxide forms on the surface of the Tantalum but it also grows into the metal. For each unit of oxide two thirds grows out and one third grows in. It is for this reason that there is a limit on the maximum voltage rating of Tantalum capacitors with present technology powders.

The dielectric operates under high electrical stress. Consider a $22\mu F$ 25V part:

Formation voltage

- Formation Ratio x Working Voltage
 4 x 25
 - = 100 Volts



The pentoxide (Ta $_2O_5$) dielectric grows at a rate of 1.7 x 10 9 m/V

Dielectric thickness (d) = $100 \times 1.7 \times 10^{-9}$ = $0.17 \mu m$

Electric Field strength

. Working Voltage / d 147 KV/mm





The next stage is the production of the cathode plate. This is achieved by pyrolysis of Manganese Nitrate into Manganese Dioxide.

The 'pellet' is dipped into an aqueous solution of Nitrate and then baked in an oven at approximately 250°C to produce to Dioxide coat. The chemical equation is

 $Mn (NO_3)_2 \rightarrow Mn O_2 + 2NO_2^{\uparrow}$



This process is repeated several times through varying specific densities of Nitrate to build up a thick coat over all internal and external surfaces of the 'pellet', as shown in the figure.

The 'pellet' is then dipped into graphite and silver to provide a good connection to the Manganese Dioxide cathode plate. Electrical contact is established by deposition of carbon onto the surface of the cathode. The carbon is then coated with a conductive material to facilitate connection to the cathode termination. Packaging is carried out to meet individual specifications and customer requirements. This manufacturing technique is adhered to for the whole range of AVX tantalum capacitors, which can be subdivided into four basic groups:

Chip / Resin dipped / Rectangular boxed / Axial

For further information on production of Tantalum Capacitors see the technical paper "Basic Tantalum Technology", by John Gill, available from your local AVX representative.







SECTION 1:

ELECTRICAL CHARACTERISTICS AND EXPLANATION OF TERMS

1.1 CAPACITANCE

1.1.1 Rated capacitance (C_R)

This is the nominal rated capacitance. For tantalum capacitors it is measured as the capacitance of the equivalent series circuit at 20° C in a measuring bridge supplied by a 120 Hz source free of harmonics with 2.2V DC bias max.

1.1.2 Temperature dependence on the capacitance

The capacitance of a tantalum capacitor varies with temperature. This variation itself is dependent to a small extent on the rated voltage and capacitor size. See graph below for typical capacitance changes with temperature.

TYPICAL CAPACITANCE vs. TEMPERATURE

15 10 % Capacitance 5 0 -5 -10 -15 -55 -25 25 50 75 100 125 n Temperature (°C)

1.2 VOLTAGE

1.2.1 Rated DC voltage (V_R)

This is the rated DC voltage for continuous operation up to $+85\,^{\circ}\text{C}.$

1.2.2 Category voltage (V_c)

This is the maximum voltage that may be applied continuously to a capacitor. It is equal to the rated voltage up to +85°C, beyond which it is subject to a linear derating, to 2/3 $V_{\rm R}$ at 125°C.

1.2.3 Surge voltage (V_s)

This is the highest voltage that may be applied to a capacitor for short periods of time. The surge voltage may be applied up to 10 times in an hour for periods of up to 30 seconds at a time. The surge voltage must not be used as a parameter in the design of circuits in which, in the normal course of operation, the capacitor is periodically charged and discharged.

1.1.3 Capacitance tolerance

This is the permissible variation of the actual value of the capacitance from the rated value.

1.1.4 Frequency dependence of the capacitance

The effective capacitance decreases as frequency increases. Beyond 100 kHz the capacitance continues to drop until resonance is reached (typically between 0.5-5 MHz depending on the rating). Beyond this the device becomes inductive.



Typical Curve Capacitance vs. Frequency







1.2.4 Effect of surges

The solid Tantalum capacitor has a limited ability to withstand surges (15% to 30% of rated voltage). This is in common with all other electrolytic capacitors and is due to the fact that they operate under very high electrical stress within the oxide layer. In the case of 'solid' electrolytic capacitors this is further complicated by the limited self healing ability of the manganese dioxide semiconductor.

It is important to ensure that the voltage across the terminals of the capacitor does not exceed the surge voltage rating at any time. This is particularly so in low impedance circuits where the capacitor is likely to be subjected to the full impact of surges, especially in low inductance applications. Even an extremely short duration spike is likely to cause damage. In such situations it will be necessary to use a higher voltage rating.

1.3 DISSIPATION FACTOR AND TANGENT OF LOSS ANGLE (TAN δ)

1.3.1 Dissipation factor (DF)

Dissipation factor is the measurement of the tangent of the loss angle (Tan δ) expressed as a percentage.

The measurement of DF is carried out at $+25^{\circ}$ C and 120 Hz with 2.2V DC bias max. with an AC voltage free of harmonics. The value of DF is temperature and frequency dependent.

1.3.2 Tangent of loss angle (Tan δ)

This is a measure of the energy loss in the capacitor. It is expressed as Tan δ and is the power loss of the capacitor divided by its reactive power at a sinusoidal voltage of specified frequency. (Terms also used are power factor, loss factor and dielectric loss, Cos (90 - δ) is the true power factor.) The measurement of Tan δ is carried out at +20°C and 120 Hz with 2.2V DC bias max. with an AC voltage free of harmonics.

1.2.5 Reverse voltage and non-polar operation

The reverse voltage ratings are designed to cover exceptional conditions of small level excursions into incorrect polarity. The values quoted are not intended to cover continuous reverse operation.

The peak reverse voltage applied to the capacitor must not exceed:

- 10% of rated DC working voltage to a maximum of 1V at 25°C
- 3% of rated DC working voltage to a maximum of 0.5V at 85°C
- 1% of category DC working voltage to a maximum of 0.1V at 125°C

1.2.6 Non-polar operation

If the higher reverse voltages are essential, then two capacitors, each of twice the required capacitance and of equal tolerance and rated voltage, should be connected in a back-to-back configuration, i.e., both anodes or both cathodes joined together. This is necessary in order to avoid a reduction in life expectancy.

1.2.7 Superimposed AC voltage (V_{rms}) - Ripple Voltage

This is the maximum RMS alternating voltage, superimposed on a DC voltage, that may be applied to a capacitor. The sum of the DC voltage and the surge value of the superimposed AC voltage must not exceed the category voltage, V_c . Full details are given in Section 2.

1.2.8 Voltage derating

Refer to section 3.2 (page 27) for the effect of voltage derating on reliability.

1.3.3 Frequency dependence of dissipation factor

Dissipation Factor increases with frequency as shown in the typical curves below.

Typical Curve-Dissipation Factor vs. Frequency







1.3.4 Temperature dependence of dissipation factor

Dissipation factor varies with temperature as the typical curves show to the right. For maximum limits please refer to ratings tables.

Typical Curves-Dissipation Factor vs. Temperature



1.4 IMPEDANCE, (Z) AND EQUIVALENT SERIES RESISTANCE (ESR)

1.4.1 Impedance, Z

This is the ratio of voltage to current at a specified frequency. Three factors contribute to the impedance of a tantalum capacitor; the resistance of the semiconducting layer, the capacitance, and the inductance of the electrodes and leads.

At high frequencies the inductance of the leads becomes a limiting factor. The temperature and frequency behavior of these three factors of impedance determine the behavior of the impedance Z. The impedance is measured at 25° C and 100 kHz.

1.4.2 Equivalent series resistance, ESR

Resistance losses occur in all practical forms of capacitors. These are made up from several different mechanisms, including resistance in components and contacts, viscous forces within the dielectric, and defects producing bypass current paths. To express the effect of these losses they are considered as the ESR of the capacitor. The ESR is frequency dependent. The ESR can be found by using the relationship:

$$SR = \frac{Tan \, \delta}{2\pi fC}$$

where f is the frequency in Hz, and C is the capacitance in farads. The ESR is measured at 25° C and 100 kHz.

Ε

ESR is one of the contributing factors to impedance, and at high frequencies (100 kHz and above) is the dominant factor, so that ESR and impedance become almost identical, impedance being marginally higher.

1.4.3 Frequency dependence of impedance and ESR

ESR and impedance both increase with decreasing frequency. At lower frequencies the values diverge as the extra contributions to impedance (resistance of the semiconducting layer, etc.) become more significant. Beyond 1 MHz (and beyond the resonant point of the capacitor) impedance again increases due to induction.



Frequency Dependence of Impedance and ESR

1.4.4 Temperature dependence of the impedance and ESR

At 100 kHz, impedance and ESR behave identically and decrease with increasing temperature as the typical curves show. For maximum limits at high and low temperatures, please refer to graph opposite.

1.5 DC LEAKAGE CURRENT (DCL)

1.5.1 Leakage current (DCL)

The leakage current is dependent on the voltage applied, the time, and the capacitor temperature. It is measured at +25°C with the rated voltage applied. A protective resistance of 1000 Ω is connected in series with the capacitor in the measuring circuit.

Three minutes after application of the rated voltage the leakage current must not exceed the maximum values indicated in the ratings table. Reforming is unnecessary even after prolonged periods without the application of voltage.

1.5.2 Temperature dependence of the leakage current

The leakage current increases with higher temperatures, typical values are shown in the graph.

For operation between 85°C and 125°C, the maximum working voltage must be derated and can be found from the following formula.

 $V \max = \left(1 - \frac{(T-85)}{120}\right) \times V_{\mathbb{R}} \text{ volts}$

where T is the required operating temperature. Maximum limits are given in rating tables.

1.5.3 Voltage dependence of the leakage current

The leakage current drops rapidly below the value corresponding to the rated voltage $V_{\rm R}$ when reduced voltages are applied. The effect of voltage derating on the leakage current is shown in the graph.

This will also give a significant increase in reliability for any application. See Section 3 for details.

1.5.4 Ripple current

The maximum ripple current allowance can be calculated from the power dissipation limits for a given temperature rise above ambient. Please refer to Section 2 for details.

Temperature Dependence of the Leakage Current for a Typical Component



Effect of Voltage Derating on Leakage Current







Temperature Dependence of the

Impedance and ESR





SECTION 2: AC OPERATION — RIPPLE VOLTAGE AND RIPPLE CURRENT

2.1 RIPPLE RATINGS (AC)

In an AC application heat is generated within the capacitor by both the AC component of the signal (which will depend upon signal form, amplitude and frequency), and by the DC leakage. For practical purposes the second factor is insignificant. The actual power dissipated in the capacitor is calculated using the formula:

$$\mathsf{P} = \mathsf{I}^2 \mathsf{R} = \frac{\mathsf{E}^2 \mathsf{R}}{\mathsf{Z}^2}$$

- I = rms ripple current, amperes
- R = equivalent series resistance, ohms
- E = rms ripple voltage, volts
- P = power dissipated, watts
- Z = impedance, ohms, at frequency under consideration

Using this formula it is possible to calculate the maximum AC ripple current and voltage permissible for a particular application.

2.2 MAXIMUM AC RIPPLE VOLTAGE (E_{max})

From the previous equation:

$$E_{(max)} = Z \sqrt{\frac{P max}{R}}$$

where ${\rm P}_{\rm max}$ is the maximum permissible ripple voltage as listed for the product under consideration (see table).

However, care must be taken to ensure that:

- 1. The DC working voltage of the capacitor must not be exceeded by the sum of the positive peak of the applied AC voltage and the DC bias voltage.
- 2. The sum of the applied DC bias voltage and the negative peak of the AC voltage must not allow a voltage reversal in excess of that defined in the sector, 'Reverse Voltage'.

2.3 MAXIMUM PERMISSIBLE POWER DISSIPATION (WATTS) @ 25°C

The maximum power dissipation at 25°C has been calculated for the various series and are shown in Section 2.4, together with temperature derating factors up to 125°C.

For leaded components the values are calculated for parts supported in air by their leads (free space dissipation).

The ripple ratings are set by defining the maximum temperature rise to be allowed under worst case conditions, i.e., with resistive losses at their maximum limit. This differential is normally 10°C at room temperature dropping to 2°C at 125°C. In application circuit layout, thermal management, available ventilation, and signal waveform may significantly affect the values quoted below. It is recommended that temperature measurements are made on devices during operating conditions to ensure that the temperature differential between the device and the ambient temperature is less than 10°C up to 85°C and less than 2°C between 85°C and 125°C. Derating factors for temperatures above 25°C are also shown below. The maximum permissible proven dissipation should be multiplied by the appropriate derating factor.

For certain applications, e.g., power supply filtering, it may be desirable to obtain a screened level of ESR to enable higher ripple currents to be handled. Please contact our applications desk for information.

2.4 POWER DISSIPATION RATINGS (IN FREE AIR)

TAR – Molded Axial

| Case size | Max. power dissipation (W) | Temperature derating factors | | |
|--------------|----------------------------|---------------------------------|--------|--|
| Q | 0.065 | Temp. °C | Factor | |
| R | 0.075 | +25 | 1.0 | |
| S | 0.09 | +85 | 0.6 | |
| W | 0.105 | +125 | 0.4 | |

TAA - Hermetically Sealed Axial

| Case size | Max. power dissipation (W) | Temperature derating factors | | | |
|--------------|-------------------------------|---------------------------------|--------|--|--|
| А | 0.09 | Temp. °C | Factor | | |
| В | 0.10 | +20 | 1.0 | | |
| С | 0.125 | +85 | 0.9 | | |
| D | 0.18 | +125 | 0.4 | | |

TAP – Resin Dipped Radial

| Case size | Max. power dissipation (W) |
|--------------|----------------------------|
| А | 0.045 |
| В | 0.05 |
| С | 0.055 |
| D | 0.06 |
| E | 0.065 |
| F | 0.075 |
| G | 0.08 |
| Н | 0.085 |
| J | 0.09 |
| Κ | 0.1 |
| L | 0.11 |
| M/N | 0.12 |
| Ρ | 0.13 |
| R | 0.14 |

| Temperature derating factors | | | | | |
|------------------------------|--------------------|--|--|--|--|
| Temp. °C Factor | | | | | |
| +25 +85 +125 | 1.0 0.4 0.09 | | | | |





SECTION 3:

RELIABILITY AND CALCULATION OF FAILURE RATE

3.1 STEADY-STATE

Tantalum Dielectric has essentially no wear out mechanism and in certain circumstances is capable of limited self healing, random failures can occur in operation. The failure rate of Tantalum capacitors will decrease with time and not increase as with other electrolytic capacitors and other electronic components.



Figure 1. Tantalum reliability curve.

The useful life reliability of the Tantalum capacitor is affected by three factors. The equation from which the failure rate can be calculated is:

 $\mathsf{F} = \mathsf{F}_{\mathsf{U}} \mathsf{X} \mathsf{F}_{\mathsf{T}} \mathsf{X} \mathsf{F}_{\mathsf{R}} \mathsf{X} \mathsf{F}_{\mathsf{B}}$

- where F_{U} is a correction factor due to operating voltage/ voltage derating
 - F_{T} is a correction factor due to operating temperature
 - F_R is a correction factor due to circuit series resistance
 - F_B is the basic failure rate level. For standard Tantalum product this is 1%/1000hours

Operating voltage/voltage derating

If a capacitor with a higher voltage rating than the maximum line voltage is used, then the operating reliability will be improved. This is known as voltage derating. The graph, Figure 2, shows the relationship between voltage derating (the ratio between applied and rated voltage) and the failure rate. The graph gives the correction factor $F_{\rm U}$ for any operating voltage.

Voltage Correction Factor



Figure 2. Correction factor to failure rate F for voltage derating of a typical component (60% con. level).

Operating temperature

If the operating temperature is below the rated temperature for the capacitor then the operating reliability will be improved as shown in Figure 3. This graph gives a correction factor F_T for any temperature of operation.





Figure 3. Correction factor to failure rate F for ambient temperature T for typical component (60% con. level).





Circuit Impedance

All solid tantalum capacitors require current limiting resistance to protect the dielectric from surges. A series resistor is recommended for this purpose. A lower circuit impedance may cause an increase in failure rate, especially at temperatures higher than 20°C. An inductive low impedance circuit may apply voltage surges to the capacitor and similarly a non-inductive circuit may apply current surges to the capacitor, causing localized over-heating and failure. The recommended impedance is 1 Ω per volt. Where this is not feasible, equivalent voltage derating should be used (See MIL HANDBOOK 217E). Table I shows the correction factor, F_R, for increasing series resistance.

Table I: Circuit Impedance

Correction factor to failure rate F for series resistance R on basic failure rate $\rm F_B$ for a typical component (60% con. level).

| Circuit Resistance ohms/volt | FR |
|------------------------------|------|
| 3.0 | 0.07 |
| 2.0 | 0.1 |
| 1.0 | 0.2 |
| 0.8 | 0.3 |
| 0.6 | 0.4 |
| 0.4 | 0.6 |
| 0.2 | 0.8 |
| 0.1 | 1.0 |

Example calculation

Consider a 12 volt power line. The designer needs about 10μ F of capacitance to act as a decoupling capacitor near a video bandwidth amplifier. Thus the circuit impedance will be limited only by the output impedance of the boards power unit and the track resistance. Let us assume it to be about 2 Ohms minimum, i.e., 0.167 Ohms/Volt. The operating temperature range is -25°C to +85°C. If a 10 μ F 16 Volt capacitor was designed-in, the operating failure rate would be as follows:

- a) F_T = 0.8 @ 85°C
- b) $F_R = 0.7 @ 0.167 Ohms/Volt$
- c) $F_U = 0.17$ @ applied voltage/rated voltage = 75%

Thus $F_B = 0.8 \times 0.7 \times 0.17 \times 1 = 0.0952\%/1000$ Hours

If the capacitor was changed for a 20 volt capacitor, the operating failure rate will change as shown.

- $F_{U} = 0.05$ @ applied voltage/rated voltage = 60%
- $F_B = 0.8 \times 0.7 \times 0.05 \times 1 = 0.028\%/1000$ Hours

3.2 DYNAMIC

As stated in Section 1.2.4, the solid Tantalum capacitor has a limited ability to withstand voltage and current surges. Such current surges can cause a capacitor to fail. The expected failure rate cannot be calculated by a simple formula as in the case of steady-state reliability. The two parameters under the control of the circuit design engineer known to reduce the incidence of failures are derating and series resistance. The table below summarizes the results of trials carried out at AVX with a piece of equipment which has very low series resistance and applied no derating. So that the capacitor was tested at its rated voltage.

Results of production scale derating experiment

| Capacitance and Voltage | Number of units tested | 50% derating applied | No derating applied |
|----------------------------|------------------------|----------------------|---------------------|
| 47µF 16V | 1,547,587 | 0.03% | 1.1% |
| 100µF 10V | 632,876 | 0.01% | 0.5% |
| 22µF 25V | 2,256,258 | 0.05% | 0.3% |

As can clearly be seen from the results of this experiment, the more derating applied by the user, the less likely the probability of a surge failure occurring.

It must be remembered that these results were derived from a highly accelerated surge test machine, and failure rates in the low ppm are more likely with the end customer.

A commonly held misconception is that the leakage current of a Tantalum capacitor can predict the number of failures which will be seen on a surge screen. This can be disproved by the results of an experiment carried out at AVX on 47μ F 10V surface mount capacitors with different leakage currents. The results are summarized in the table below.

| Loakago Curront | ve | Number | of | Surgo | Failuros |
|-----------------|----|---------|-----|-------|-----------|
| Leakage Guilent | vэ | NULLING | UI. | Julye | I alluics |

| | Number tested | Number failed surge |
|---|---------------|---------------------|
| Standard leakage range 0.1 µA to 1µA | 10,000 | 25 |
| Over Catalog limit 5μA to 50μA | 10,000 | 26 |
| Classified Short Circuit 50µA to 500µA | 10,000 | 25 |

Again, it must be remembered that these results were derived from a highly accelerated surge test machine, and failure rates in the low ppm are more likely with the end customer.

| | • |
|--------------|--------------------------|
| Voltage Rail | Working Cap Voltage |
| 3.3 | 6.3 |
| 5 | 10 |
| 10 | 20 |
| 12 | 25 |
| 15 | 35 |
| ≥24 | Series Combinations (11) |

AVX recommended derating table

For further details on surge in Tantalum capacitors refer to J.A. Gill's paper "Surge in Solid Tantalum Capacitors", available from AVX offices worldwide.



An added bonus of increasing the derating applied in a circuit, to improve the ability of the capacitor to withstand surge conditions, is that the steady-state reliability is improved by up to an order. Consider the example of a 6.3 volt capacitor being used on a 5 volt rail. The steady-state reliability of a Tantalum capacitor is affected by three parameters; temperature, series resistance and voltage derating. Assuming 40°C operation and 0.1 Ω /volt of series resistance, the scaling factors for temperature and series resistance will both be 0.05 [see Section 3.1]. The derating factor will be 0.15. The capacitors reliability will therefore be

| Failure rate | $= F_U x F_T x F_R x 1\%/1000$ hours |
|--------------|--------------------------------------|
| | = 0.15 x 0.05 x 1 x 1%/1000 hours |
| | = 7.5% x 10 ⁻³ /hours |

If a 10 volt capacitor was used instead, the new scaling factor would be 0.017, thus the steady-state reliability would be

Failure rate = $F_U x F_T x F_R x 1\%/1000$ hours = 0.017 x 0.05 x 1 x 1%/1000 hours = 8.5% x 10⁻⁴/ 1000 hours

So there is an order improvement in the capacitors steadystate reliability.

3.3 RELIABILITY TESTING

AVX performs extensive life testing on tantalum capacitors.

■ 2,000 hour tests as part of our regular Quality Assurance Program.

Test conditions:

- **\blacksquare** 85°C/rated voltage/circuit impedance of 3 Ω max.
- 125°C/0.67 x rated voltage/circuit impedance of 3Ω max.

3.4 Mode of Failure

This is normally an increase in leakage current which ultimately becomes a short circuit.



SECTION 4: APPLICATION GUIDELINES FOR TANTALUM CAPACITORS

4.1 SOLDERING CONDITIONS AND BOARD ATTACHMENT

The soldering temperature and time should be the minimum for a good connection.

A suitable combination for wavesoldering is 230 - 250°C for 3 - 5 seconds.

Small parametric shifts may be noted immediately after wave solder, components should be allowed to stabilize at room temperature prior to electrical testing.

AVX leaded tantalum capacitors are designed for wave soldering operations.



4.2 RECOMMENDED SOLDERING PROFILES

Recommended wave soldering profile for mounting of tantalum capacitors except MINITANs* is shown below.

After soldering the assembly should preferably be allowed to cool naturally. In the event that assisted cooling is used, the rate of change in temperature should not exceed that used in reflow.



*Note: TMH and TMM Series are not recommended for wave soldering.

*See appropriate product specification

SECTION 5: MECHANICAL AND THERMAL PROPERTIES, LEADED CAPACITORS

5.1 ACCELERATION

10 g (981 m/s)

5.2 VIBRATION SEVERITY

10 to 2000 Hz, 0.75 mm or 98 m/s²

5.3 SHOCK

Trapezoidal Pulse 10 g (981 m/s) for 6 ms

5.4 TENSILE STRENGTH OF CONNECTION

10 N for type TAR, 5 N for type TAP. (See MINITAN Section for limits.)

5.5 BENDING STRENGTH OF CONNECTIONS

2 bends at 90°C with 50% of the tensile strength test loading. (See Minitan Section for limits.)

5.6 SOLDERING CONDITIONS

Dip soldering permissible provided solder bath temperature $\leq 270^{\circ}$ C; solder time <3 sec.; circuit board thickness ≥ 1.0 mm.

5.7 INSTALLATION INSTRUCTIONS

The upper temperature limit (maximum capacitor surface temperature) must not be exceeded even under the most unfavorable conditions when the capacitor is installed. This must be considered particularly when it is positioned near components which radiate heat strongly (e.g., valves and power transistors). Furthermore, care must be taken, when bending the wires, that the bending forces do not strain the capacitor housing.

5.8 INSTALLATION POSITION

No restriction.

5.9 SOLDERING INSTRUCTIONS

Fluxes containing acids must not be used.





QUESTIONS AND ANSWERS

Some commonly asked questions regarding Tantalum Capacitors:

Question: If I use several tantalum capacitors in serial/ parallel combinations, how can I ensure equal current and voltage sharing?

Answer: Connecting two or more capacitors in series and parallel combinations allows almost any value and rating to be constructed for use in an application. For example, a capacitance of more than 60μ F is required in a circuit for stable operation. The working voltage rail is 24 Volts dc with a superimposed ripple of 1.5 Volts at 120 Hz.

The maximum voltage seen by the capacitor is V_{dc} + $V_{\text{ac}}\text{=}25.5\text{V}$

Applying the 50% derate rule tells us that a 50V capacitor is required.

Connecting two 25V rated capacitors in series will give the required capacitance voltage rating, but the effective capacitance will be halved, so for greater than



 $60\mu F_{\rm r}$ four such series combinations are required, as shown.



In order to ensure reliable operation, the capacitors should be connected as shown below to allow current sharing of the ac noise and ripple signals. This prevents any one capacitor heating more than its neighbors and thus being the weak link in the chain.



The two resistors are used to ensure that the leakage currents of the capacitors does not affect the circuit reliability, by ensuring that all the capacitors have half the working voltage across them.

Question: What are the advantages of tantalum over other capacitor technologies?

Answer:

- 1. Tantalums have high volumetric efficiency.
- 2. Electrical performance over temperature is very stable.
- 3. They have a wide operating temperature range -55 degrees C to +125 degrees C.
- 4. They have better frequency characteristics than aluminum electrolytics.
- No wear out mechanism. Because of their construction, solid tantalum capacitors do not degrade in performance or reliability over time.

Question: If the part is rated as a 25 volt part and you have current surged it, why can't I use it at 25 volts in a low impedance circuit?

Answer: The high volumetric efficiency obtained using tantalum technology is accomplished by using an extremely thin film of tantalum pentoxide as the dielectric. Even an application of the relatively low voltage of 25 volts will produce a large field strength as seen by the dielectric. As a result of this, derating has a significant impact on reliability as described under the reliability section. The following example uses a 22 microfarad capacitor rated at 25 volts to illustrate the point. The equation for determining the amount of surface area for a capacitor is as follows:

- $C = ((E)(E_{\circ})(A)) / d$
- $A = ((C)(d)) / ((E_{\circ})(E))$
- $A = ((22 \times 10^{-6}) (170 \times 10^{-9})) / ((8.85 \times 10^{-12}) (27))$
- A = 0.015 square meters (150 square centimeters)

Where C = Capacitance in farads

- A = Dielectric (Electrode) Surface Area (m²)
- d = Dielectric thickness (Space between dielectric) (m)
- E = Dielectric constant (27 for tantalum)
- E°= Dielectric Constant relative to a vacuum (8.855 x 10⁻¹² Farads x m⁻¹)

To compute the field voltage potential felt by the dielectric we use the following logic.

Dielectric formation potential = Formation Ratio x Working Voltage

Formation Potential = 100 volts

Dielectric (Ta_2O_5) Thickness (d) is 1.7 x 10⁻⁹ Meters Per Volt

 $d = 0.17 \mu$ meters

Electric Field Strength = Working Voltage / d

- = (25 / 0.17 µ meters)
- = 147 Kilovolts per millimeter
- = 147 Megavolts per meter





QUESTIONS AND ANSWERS

No matter how pure the raw tantalum powder or the precision of processing, there will always be impurity sites in the dielectric. We attempt to stress these sites in the factory with overvoltage surges, and elevated temperature burn in so that components will fail in the factory and not in your product. Unfortunately, within this large area of tantalum pentoxide, impurity sites will exist in all capacitors. To minimize the possibility of providing enough activation energy for these impurity sites to turn from an amorphous state to a crystalline state that will conduct energy, series resistance and derating is recommended. By reducing the electric field within the anode at these sites, the tantalum capacitor has increased reliability. Tantalums differ from other electrolytics in that charge transients are carried by electronic conduction rather than absorption of ions.

Question: What negative transients can Solid Tantalum Capacitors operate under?

Answer: The reverse voltage ratings are designed to cover exceptional conditions of small level excursions into incorrect polarity. The values quoted are not intended to cover continuous reverse operation. The peak reverse voltage applied to the capacitor must not exceed:

10% of rated DC working voltage to a maximum of 1 volt at 25 degrees C.

3% of rated DC working voltage to a maximum of 0.5 volt at 85 degrees C.

1% of category DC working voltage to a maximum of 0.1 volt at 125 C.

Question: I have read that manufacturers recommend a series resistance of 0.1 ohm per working volt. You suggest we use 1 ohm per volt in a low impedance circuit. Why?

Answer: We are talking about two very different sets of circuit conditions for those recommendations. The 0.1 ohm per volt recommendation is for steady-state conditions. This level of resistance is used as a basis for the series resistance variable in a 1% / 1000 hours 60% confidence level reference. This is what steady-state life tests are based on. The 1 ohm per volt is recommended for dynamic conditions which include current in-rush applications such as inputs to power supply circuits. In many power supply topologies where the di / dt through the capacitor(s) is limited, (such as most implementations of buck (current mode), forward converter, and flyback), the requirement for series resistance is decreased.

Question: How long is the shelf life for a tantalum capacitor?

Answer: Solid tantalum capacitors have no limitation on shelf life. The dielectric is stable and no reformation is required. The only factors that affect future performance of the capacitors would be high humidity conditions and extreme storage temperatures. Solderability of solder coated surfaces may be affected by storage in excess of one year under temperatures greater than 40 degrees C or humidities greater than 80% relative humidity. Terminations should be checked for solderability in the event an oxidation develops on the solder plating.

Technical Publications



- 1. Steve Warden and John Gill, "Application Guidelines on IR Reflow of Surface Mount Solid Tantalum Capacitors."
- 2. John Gill, "Glossary of Terms used in the Tantalum Industry."
- 3. R.W. Franklin, "Over-Heating in Failed Tantalum Capacitors," AVX Ltd.
- 4. R.W. Franklin, "Upgraded Surge Performance of Tantalum Capacitors," Electronic Engineering 1985
- 5. R.W. Franklin, "Screening beats surge threat," Electronics Manufacture & Test, June 1985
- 6. AVX Surface Mounting Guide
- 7. Ian Salisbury, "Thermal Management of Surface Mounted Tantalum Capacitors," AVX
- 8. John Gill, "Investigation into the Effects of Connecting Tantalum Capacitors in Series," AVX
- 9. Ian Salisbury, "Analysis of Fusing Technology for Tantalum Capacitors," AVX-Kyocera Group Company
- 10. R.W. Franklin, "Analysis of Solid Tantalum Capacitor Leakage Current," AVX Ltd.
- 11. R.W. Franklin, "An Exploration of Leakage Current," AVX, Ltd.
- 12. William A. Millman, "Application Specific SMD Tantalum Capacitors," Technical Operations, AVX Ltd.
- 13. R.W. Franklin, "Capacitance Tolerances for Solid Tantalum Capacitors," AVX Ltd.
- 14. Arch G. Martin, "Decoupling Basics," AVX Corporation

- 15. R.W. Franklin, "Equivalent Series Resistance of Tantalum Capacitors," AVX Ltd.
- John Stroud, "Molded Surface Mount Tantalum Capacitors vs Conformally Coated Capacitors," AVX Corporation, Tantalum Division
- 17. Chris Reynolds, "Reliability Management of Tantalum Capacitors," AVX Tantalum Corporation
- 18. R.W. Franklin, "Ripple Rating of Tantalum Chip Capacitors," AVX Ltd.
- 19. Chris Reynolds, "Setting Standard Sizes for Tantalum Chips," AVX Corporation
- 20. John Gill, "Surge In Solid Tantalum Capacitors," AVX Ltd.
- 21. David Mattingly, "Increasing Reliability of SMD Tantalum Capacitors in Low Impedance Applications," AVX Corporation
- 22. John Gill, "Basic Tantalum Technology," AVX Ltd.
- 23. Ian Salisbury, "Solder Update Reflow Mounting TACmicrochip Tantalum Capacitor," AVX Ltd.
- 24. Ian Salisbury, "New Tantalum Capacitor Design for 0603 Size," AVX Ltd.
- 25. John Gill, "Capacitor Technology Comparison," AVX Ltd.
- 26. Scott Chiang, "High Performance CPU Capacitor Requirements, how AVX can help," AVX Kyocera Taiwan
- 27. John Gill and Ian Bishop, "Reverse Voltage Behavior of Solid Tantalum Capacitors."

NOTICE: Specifications are subject to change without notice. Contact your nearest AVX Sales Office for the latest specifications. All statements, information and data given herein are believed to be accurate and reliable, but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated or that other measures may not be required. Specifications are typical and may not apply to all applications.



USA

AVX Myrtle Beach, SC Corporate Offices Tel: 843-448-9411 FAX: 843-448-1943

AVX Northwest, WA Tel: 360-669-8746 FAX: 360-699-8751

AVX North Central, IN Tel: 317-848-7153 FAX: 317-844-9314

AVX Northeast, MA Tel: 508-485-8114 FAX: 508-485-8471

AVX Mid-Pacific, CA Tel: 408-436-5400 FAX: 408-437-1500

AVX Southwest, AZ Tel: 602-539-1496 FAX: 602-539-1501

AVX South Central, TX Tel: 972-669-1223 FAX: 972-669-2090

AVX Southeast, NC Tel: 919-878-6357 FAX: 919-878-6462

AVX Canada Tel: 905-564-8959 FAX: 905-564-9728

EUROPE

AVX Limited, England European Headquarters Tel: ++44 (0)1252 770000 FAX: ++44 (0)1252 770001

AVX S.A., France Tel: ++33 (1) 69.18.46.00 FAX: ++33 (1) 69.28.73.87

AVX GmbH, Germany - AVX Tel: ++49 (0) 8131 9004-0 FAX: ++49 (0) 8131 9004-44

AVX GmbH, Germany - Elco Tel: ++49 (0) 2741 2990 FAX: ++49 (0) 2741 299133

> AVX srl, Italy Tel: ++390 (0)2 614571 FAX: ++390 (0)2 614 2576

AVX sro, Czech Republic Tel: ++420 (0)467 558340 FAX: ++420 (0)467 558345

ASIA-PACIFIC

AVX/Kyocera, Singapore Asia-Pacific Headquarters Tel: (65) 258-2833 FAX: (65) 350-4880

AVX/Kyocera, Hong Kong Tel: (852) 2-363-3303 FAX: (852) 2-765-8185

AVX/Kyocera, Korea Tel: (82) 2-785-6504 FAX: (82) 2-784-5411

AVX/Kyocera, Taiwan Tel: (886) 2-2516-7010 FAX: (886) 2-2506-9774

AVX/Kyocera, China Tel: (86) 21-6249-0314-16 FAX: (86) 21-6249-0313

AVX/Kyocera, Malaysia Tel: (60) 4-228-1190 FAX: (60) 4-228-1196

> Elco, Japan Tel: 045-943-2906/7 FAX: 045-943-2910

Kyocera, Japan - AVX Tel: (81) 75-604-3426 FAX: (81) 75-604-3425

Kyocera, Japan - KDP Tel: (81) 75-604-3424 FAX: (81) 75-604-3425

Contact:

