



WRA30/24 Wirkungsgrad

Messwertaufnahme WRA30/24

Pnenn	Ubat	lbat	Pbat	Uac	l ac	Pac	Wirk
100	25,51	4,90	125,00	230,80	0,43	98,09	78,47
200	25,30	8,90	225,17	230,00	0,84	193,20	85,80
300	25,07	13,00	325,91	229,00	1,26	288,54	88,53
400	24,86	17,20	427,59	228,40	1,69	386,00	90,27
500	24,70	21,50	531,05	228,20	2,11	481,50	90,67
600	24,55	25,60	628,48	228,10	2,52	574,81	91,46
700	24,42	30,00	732,60	228,20	2,95	673,19	91,89
800	24,34	34,40	837,30	228,40	3,36	767,42	91,66
900	24,27	38,50	934,40	228,00	3,76	857,28	91,75
1000	24,20	43,10	1043,02	228,50	4,18	955,13	91,57
1100	24,22	50,00	1211,00	228,70	4,84	1106,91	91,40
1200	24,03	54,70	1314,44	228,70	5,25	1200,68	91,34
1300	23,94	59,30	1419,64	228,50	5,66	1293,31	91,10
1400	23,86	64,20	1531,81	228,90	6,10	1396,29	91,15
1500	23,80	68,90	1639,82	229,20	6,51	1492,09	90,99
1600	23,73	73,90	1753,65	229,40	6,92	1587,45	90,52
1700	23,66	78,60	1859,68	229,40	7,35	1686,09	90,67
1800	23,60	83,60	1972,96	229,80	7,77	1785,55	90,50
1900	23,52	88,50	2081,52	230,20	8,18	1883,04	90,46
2000	23,45	93,40	2190,23	229,80	8,59	1973,98	90,13
2100	23,37	101,00	2360,37	230,20	9,21	2120,14	89,82
2200	23,28	106,00	2467,68	230,50	9,63	2219,72	89,95
2300	23,20	111,70	2591,44	230,70	10,07	2323,15	89,65
2400	23,10	117,10	2705,01	229,90	10,50	2413,95	89,24
2500	23,01	123,00	2830,23	231,00	10,92	2522,52	89,13
2600	22,95	127,60	2928,42	230,50	11,28	2600,04	88,79
2700	22,86	131,50	3006,09	229,40	11,66	2674,80	88,98
2800	22,80	135,00	3078,00	227,80	12,00	2733,60	88,81
2900	22,73	138,40	3145,83	226,20	12,33	2789,05	88,66
3000	22,66	142,00	3217,72	224,50	12,66	2842,17	88,33